

MODELS

9100/9605



style. safety. variety.

Built for performance and affordability, Models 9100 and 9605 offer robust features with a variety of options at affordable prices, adding style and curb appeal to your home.

These doors are chosen by homeowners for their insulating value, durability, style and safety features.



PERFORMANCE FEATURES



TorqueMaster® Plus Counterbalance

is the first counterbalance system to seal springs safely within a steel tube. It contains an anti-drop feature that reduces the risk of door free fall.



Tamper-Resistant Safety Bottom Brackets

help avoid possible injury by preventing inadvertent loosening when the counterbalance cables are still under tension.



Pinch-Resistant Door Panels

are engineered with pinch-resistant design to prevent finger injuries while the door is closing.



Structural Reinforcements

Model 9100 and 9605 are available with structural reinforcements for use in coastal regions. They meet wind load requirements of the International Building Code, Florida Building Code and Texas Dept. of Insurance.



Horizontal Integral Struts

at the top and bottom of door sections adds rigidity and strength for long life and smooth operation.



Thermal Efficiency

Foamed in place polyurethane insulation** with an R-value* of 9 for Model 9100 and R-value of up to 10 for Model 9605. Insulation can improve your home's thermal efficiency, reduce street noise and make the door operate more quietly.



Warranty

Limited Lifetime Warranty against cracking or splitting due to rust-through and against degradation of the foam insulation. See full warranty for complete details.

*Wayne Dalton uses a calculated door section R-value for our insulated doors.

^{**}Polyurethane insulation provides superior insulation value and thermal efficiency compared to polystyrene.


9100/9605 Model Comparison


	MODEL 9100	MODEL 9605
Door construction	3-layer construction Steel/Polyurethane/ Toughgard™ backer	3-layer construction Steel/ Polyurethane/Steel
Insulation	Foamed-in-place polyurethane with R-value of 9	Foamed-in-place polyurethane with R-value up to 10*
Wind load models	Available	Available
Warranty	Limited Lifetime	Limited Lifetime

^{*}R-value of 9 for 7' tall doors; R-value of 10 for 8' tall doors.


1 Choose Your Style

Doors shown are 8'x7'. Other sizes may have different panel configurations. See dealer for details.






Sonoma Ranch



Ranch



Contemporary

2 Choose Your Color

Paint finishes



White



Almond




Desert Tan



Taupe



Gray



Model 9605 is available with the TruChoice® Color System, Wayne Dalton's custom painting process that offers more than 6,000 colors. See dealer for details.



Green



Brown

Actual colors may vary from brochure due to fluctuations in the printing process. Always request a color sample from your dealer for accurate color matching.

3 Choose Your Windows

For Colonial and Contemporary Panels



Cascade I



Cascade III**



Prairie I



Arched Stockton*



Stockton III**



Williamsburg I



Cascade II*



Clear I



Prairie II*



Stockbridge*



Waterton I



Williamsburg IV



Cathedral II*



Clear II*



Sherwood I



Stockton I



Waterton II*





Cathedral I



Clear III**



Sherwood IV



Stockton IV (4-Lite)



Waterton III**

For Sonoma Panels



Clear I



Cascade III



Stockton III



Clear III



Cathedral I



Waterton I



Arched Stockton



Stockbridge



Waterton III



Cascade



Stockton I

The following windows are available for double car doors with the Sonoma panel design



Arched Stockton Single

Arched Stockton Double

Décor™ windows for Colonial and Contemporary Panels



Majestic Brass



Reflections Brass



Majestic Leaded



Reflections Leaded



Majestic Brass II*



Reflections Brass II*



Majestic Leaded II*



Reflections Leaded II*

^{*}Contemporary Panel Model 9100 only

^{**}Contemporary Panel only

For Ranch Panels



Cascade II




Sherwood IV



Waterton II



Cathedral II



Arched Stockton



Williamsburg IV



Clear II



Stockton II



Prairie II



Stockbridge

Décor™ windows for Ranch Panels



Majestic Brass II



Majestic Leaded II



Reflections Brass II



Reflections Leaded II

For Sonoma Ranch Panels



Ashton IV



Ruston IV



Stockbridge IV (4-Lite)



Stockton IV (8-Lite)



Williamsburg IV



Cathedral IV



Sherwood IV



Stockford IV



Stockton IV (8-Lite Arched)



Wyndbridge IV



Cascade IV



Stockbridge IV (3-Lite)



Stockton IV (4-Lite)



Stockton IV (12-Lite)



Arched Stockton IV

Stockton IV (6-Lite)

Waterton IV

Clear IV



Williamsburg IV

Not all windows are available in all sizes or in all areas. Some windows are special order. Check with your Wayne Dalton dealer for details.



Glass Options









Clear

Gray Tinted

Satin Etched Privacy

Obscure


Optional window placement (Model 9605 only)





Contemporary panel, White finish with Clear II windows.


Windows may be arranged vertically or horizontally on Colonial, Ranch and Contemporary panels. Windows placed in the bottom section of a door must use DSB $^{1/8}$ " or tempered glass.



See website for additional hardware options.









Garage Door Design Center

To see this door on your home, visit **wayne-dalton.com** and try our Garage Door Design Center. Upload a photo of your home and experiment with panel designs, color options, window styles and decorative hardware designs. Instant curb appeal awaits you with just a click of your mouse.



DISTRIBUTED BY:

2501 S. State Hwy 121 Bus., Ste 200 Lewisville, TX 75067

wayne-dalton.com











